

Berkeley Ballot Audit Report
 Election: House 100 Special Rep Primary
 Audit Date: 10:33:0, Thu Jul 21, 2016

Prec		Precinct		-----EL30A-----			
-----Audit-----							
Nber	Name		Total	Opt	iVo	Flash	
iVo	Opt	Man	Delta	Comments			
0002	Bethera		27	0	27	0	
27	0	0	0				
0003	Bonneau		8	0	8	0	
8	0	0	0				
0004	Bonneau Beach		127	0	127	0	
127	0	0	0				
0008	Carnes Cross Rd 1		41	0	41	0	
41	0	0	0				
0010	Cordesville		61	0	61	0	
61	0	0	0				
0029	Macedonia		95	0	95	0	
95	0	0	0				
0030	McBeth		15	0	15	0	
15	0	0	0				
0031	Moncks Corner 1		32	0	32	0	
32	0	0	0				
0033	Moncks Corner 3		48	0	48	0	
48	0	0	0				
0034	Moncks Corner 4		252	0	252	0	
252	0	0	0				
0036	Pinopolis		207	0	207	0	
207	0	0	0				
0048	Wassamassaw 1		2	0	2	0	
2	0	0	0				
0049	Wassamassaw 2		44	0	44	0	
44	0	0	0				
0059	Whitesville 1		41	0	41	0	
41	0	0	0				
0060	Whitesville 2		32	0	32	0	
32	0	0	0				
0065	Cane Bay		65	0	65	0	
65	0	0	0				
0067	Fox Bank		22	0	22	0	
22	0	0	0				
0070	Old 52		79	0	79	0	
79	0	0	0				
0072	Seventy Eight		4	0	4	0	
4	0	0	0				
0083	Tramway		9	0	9	0	
9	0	0	0				
0084	Weatherstone		7	0	7	0	
7	0	0	0				
Precincts	Total:		1218	0	1218	0	
1218	0	0	0				
0750	Absentee		165	92	73	0	
73	92	0	0				
0800	Emergency		1	1	0	0	
0	1	0	0				

0850	Failsafe		0	0	0	0
0	0	0	0			
0900	Provisional		1	1	0	0
0	1	0	0			
Virtual Precincts Total:			167	94	73	0
73	94	0	0			
Grand Total:			1385	94	1291	0
1291	94	0	0			

NOTE: Any manual entries shown on this report are supported by the Manual Entry log (EL68).

Auditor's Comments:

Total number of iVotronic ballots cast containing no votes: 6
The following precincts have no ballots cast in them: Failsafe
This audit is complete and has no exceptions.

EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots.

EL30A Ivo Ballots	EL155 Ballots	EL152 Ballots
1291	1291	1291
Delta from EL30A	0	0
	Delta from EL155	0
	Cast By Voter	1291
	Cast By Poll Wkr	0
	Blank Cast by PW	0
	Cancelled Ballots	20
	Wrong Ballot	1
	Voter Left AB	0
ballot selected by poll worker.)		(AB = After
	Voter Left BB	0
ballot selected by poll worker.)		(BB = Before
	Voter Request	0
	Printer Problem	0
	Terminal Problem	3
	Other Reason	16

Number of audio (ADA) events in this election: 0

How to read this report.

This is the ballot level report. It compares the number of ballots cast in the tabulation report, the EL30A with the number of ballots cast in the audit data.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precinct line values.

The Opt totals are the total number of ballots cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into two master audit files, the EL155 Vote image log and the EL152 iVotronic event log. The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine. Counting the number of asterisks in a precinct we get the number of ballots cast in that precinct. That number should always match the number in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total does not match the EL30A Total value, the auditor is prompted to read the paper report from the optical scanner and enter the total ballots cast into the auditing program.

If the sum of the audit iVotronic and Optical ballots cast still do not match the EL30A total value, then the audit software reads the EL68 Manual Entry log for any changes made in that precinct to either the iVo or Opt totals by the CEC staff. It displays any manual entries to the auditor for inclusion into the totals. If accepted by the auditor these entries are automatically added to the Man column from the Manual Entry log.

Finally, the audit software calculates the Delta value which should be zero unless the sum of the iVo, the Opt and the Man do not match the EL30A Total column. If the Delta is greater than zero then audit data is missing. A comment will be placed on that line in the report indicating missing audit data. If the Delta value is less than zero then there are more ballots in the audit data than there are in the tabulated data and a comment will be placed on that line in the report.

Wherever possible, the audit system will attempt to indicate where the difference is by displaying the iVotronic machine numbers and the number of ballots cast on that machine that exist in the audit data.

In the case of missing tabulated data, it might be possible to identify a machine that has the same number of ballots cast as the delta value and that number and ballot count will be highlighted with a < sign. If there is a non zero Delta value there will be an entry by the auditor explaining the variance.

Finally, there is a EL30A iVo to EL155 to EL152 Cross Check and Cancelled Ballots table in the report. This table should indicate that the number ballots cast in the EL30A match the numbers in the EL155 and the EL152 report. Then there are some statistics pulled from the EL152 report that indicate how many ballots were cast by the voter and the number cast by the poll worker. Lastly the number of ballots that were cancelled and the reason they were cancelled. It should be noted that the reason cancelled is chosen from a pull down menu presented to the poll worker when a ballot is cancelled, there is no way to validate the poll worker's choice.

Berkeley EL30A45A Comparison Report
 Election: House 100 Special Rep Primary
 Audit Date: 10:35:56, Thu Jul 21, 2016

```

+-----EL30A-----+-----EL45A-----
+
Office                               Candidate                               Party
|   Tot   Opt   iVo   Flash |   Tot   Opt   iVo   Flash   Delta
|
-----
-+-----+-----
-+

```

Office	Tot	Opt	iVo	Flash	Candidate	Tot	Opt	iVo	Flash	Party
State House of Rep Dist 100	1008	64	944	0	Sylleste Davis	1008	64	944	0	0
State House of Rep Dist 100	371	30	341	0	Robbie Metts	371	30	341	0	0

How to read this report.

This is EL30A EL45A Crosscheck Report. It sums each candidates vote totals in each precinct in the EL30A Precinct Detail Report and compares it to the EL45A Election Summary Report that contains the tabulated total for each candidate in the county.

The values read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. The total lines are the calculated sums of the individual precince line values.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values read from the EL45A report are reported in same four categories; Total, Optical (Opt), iVotronic (iVo) and Flash as the EL30A. Like the EL30A they are parsed from the actual EL45A report.

The summary candidate totals are compared against the calculated sums for each candidate from, the EL30A report. Each of the values in each line on the EL30A side must match the same value on the EL45A side and the Delta value must be zero.

Berkeley EL152/EL155 Votes Comparison Report

This report is a comparison of the ballots cast in the two audit files.

```
+-----EL152-----+-----EL155-----+-----+
|Machine Ballots|Precinct(s)                Ballots|Delta|
+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+-----+
```

Berkeley Office Non-Match Report

Array of unique EL30A non matches

0: |State House of Rep Dist 100|

Array of unique EL155 non matches

0: |HOUS100 State House of Reps Dist 100|

Berkeley PEB Exceptions Report
Election: House 100 Special Rep Primary
Audit Date: 10:33:0, Thu Jul 21, 2016

WARNING: Precincts listed in this report have used more than one PEB to open or close iVotronic Machines. Inspect all the precinct materials closely, especially the Precinct Polling Results Tape to be sure that you have collected PEB data from all the iVotronic machines assigned to that precinct.

Precinct	PEBs Used	Comments
----------	-----------	----------

Berkeley PEB Exceptions Report
Election: House 100 Special Rep Primary
Election date: 07/19/2016
Audit Date: 10:33:0, Thu Jul 21, 2016

iVo #	Op PEB Type Precinct -	Open Time Ballots Cast	Cl PEB	Close Time	Exception
5125256	151409	07/19/2016 07:44:20	151409	07/19/2016	
19:01:48	Open Time	Pinopolis - 77			
5126965	147383	07/06/2016 13:38:39	147383	07/19/2016	
19:02:44	>>Open Date<<	Absentee - 38			
5126965	147383	07/06/2016 13:38:39	147383	07/19/2016	
19:02:44	Open Time	Absentee - 38			
5127604	147383	07/06/2016 13:41:42	147383	07/19/2016	
19:02:36	>>Open Date<<	Absentee - 35			
5127604	147383	07/06/2016 13:41:42	147383	07/19/2016	
19:02:36	Open Time	Absentee - 35			

How to read this report.

This is the PEB Exceptions Report. It checks for the following conditions in the iVotronic Event log;

- 1: A machine that was opened and closed by different PEBs
- 2: A Machine that was not opened on Election Date - could be either an absentee or test machine
- 3: A Machine that was not closed on Election Date - could have had problem closing
- 4: A Machine that was not opened by 7 am - note most Absentee machines will show up here
- 5: A Machine that was closed before 7pm - polls close at 7 PM
- 6: A Machine that was not closed ever.
- 7: A machine that has no ballots cast on it.

Each of the events above detected are reported on a separate line, each line contains the following information:
iVotronic machine number, Opening PEB Number, Open Time, Closing PEB Number, Closing Time, the Exception Type and the Precinct and the Ballots Cast on that machine.

Absentee and Failsafe precinct machines are opened during the middle of the day several days before the election date of 07/19/2016. So it is normal for these machines to appear on this report with Open Date and Open Time exceptions.

Berkeley PEB Open/Close Report
 Election: House 100 Special Rep Primary
 Audit Date: 10:33:0, Thu Jul 21, 2016

Precinct	Machine	PEB Used to Open	PEB Used to Close
Bethera	5120818	155752	155752
Bethera	5123590	155752	155752
Bonneau	5121657	149252	149252
Bonneau	5131869	149252	149252
Bonneau Beach	5127366	154877	154877
Bonneau Beach	5127538	154877	154877
Carnes Cross Rd 1	5121555	147881	147881
Carnes Cross Rd 1	5130225	147881	147881
Carnes Cross Rd 1	5133378	147881	147881
Cordesville	5123214	124849	124849
Cordesville	5127040	124849	124849
Macedonia	5112970	155110	155110
Macedonia	5133052	155110	155110
McBeth	5120066	133749	133749
McBeth	5126098	133749	133749
Moncks Corner 1	5121495	146795	146795
Moncks Corner 1	5122475	146795	146795
Moncks Corner 3	5119827	125515	125515
Moncks Corner 3	5123736	125515	125515
Moncks Corner 3	5138317	125515	125515
Moncks Corner 4	5104605	146576	146576
Moncks Corner 4	5118722	146576	146576
Moncks Corner 4	5126370	146576	146576
Pinopolis	5124527	151409	151409
Pinopolis	5125256	151409	151409
Wassamassaw 1	5118407	144759	144759
Wassamassaw 2	5127162	145063	145063
Wassamassaw 2	5127796	145063	145063
Wassamassaw 2	5131377	145063	145063
Whitesville 1	5118052	122995	122995
Whitesville 1	5127305	122995	122995
Whitesville 1	5128711	122995	122995
Whitesville 1	5128896	122995	122995
Whitesville 2	5118052	122995	122995
Whitesville 2	5127305	122995	122995
Whitesville 2	5128711	122995	122995
Whitesville 2	5128896	122995	122995
Cane Bay	5118196	144759	144759
Cane Bay	5118407	144759	144759
Cane Bay	5123109	144759	144759
Fox Bank	5118052	122995	122995
Fox Bank	5127305	122995	122995
Fox Bank	5128711	122995	122995
Fox Bank	5128896	122995	122995
Old 52	5104605	146576	146576
Old 52	5118722	146576	146576
Old 52	5126370	146576	146576
Seventy Eight	5124790	138747	138747
Seventy Eight	5130809	138747	138747
Tramway	5121728	143967	143967
Tramway	5122214	143967	143967
Tramway	5126897	143967	143967
Weatherstone	5122214	143967	143967
Absentee	5126965	147383	147383

Absentee

5127604 147383 147383

The following precinct(s) have no ballots cast in them: Failsafe
Note: if there are no ballots cast in a precinct the machines in that
precinct
cannot be identified so the machines in these precinct(s) will not appear
in this report.

Berkeley PEB Use Report
Election: House 100 Special Rep Primary
Audit Date: 10:33:0, Thu Jul 21, 2016

Precinct	PEBs Used	Comments
Bethera	155752	
Bonneau	149252	
Bonneau Beach	154877	
Carnes Cross Rd 1	147881	
Cordessville	124849	
Macedonia	155110	
McBeth	133749	
Moncks Corner 1	146795	
Moncks Corner 3	125515	
Moncks Corner 4	146576	
Pinopolis	151409	
Wassamassaw 1	144759	
Wassamassaw 2	145063	
Whitesville 1	122995	
Whitesville 2	122995	
Cane Bay	144759	
Fox Bank	122995	
Old 52	146576	
Seventy Eight	138747	
Tramway	143967	
Weatherstone	143967	
Absentee	147383	

22 precincts processed

The following precinct(s) have no ballots cast in them: Failsafe
Note: if there are no ballots cast in a precinct the machines in that precinct cannot be identified so these precinct(s) will not appear in this report.

How to read this report.

This is the PEB Used report. It lists the precincts found in the Audit data and lists all the PEBs that were used by the poll workers to open and close the iVotronic machines in that precinct.

If more than one PEB is used to open and close all the iVotronic machines in a precinct, then the County Election Commission must read ALL the PEBs used in that precinct to assure that they have collected all the ballots from that precinct. A county whose report shows a precinct that has machines open or closed by more than one PEB should double check the Ballot Audit Report against the iVotronic paper tapes and the Poll Book to make sure that all the ballots have been collected and tabulated.

Berkeley Vote Level Audit Report
 Election: House 100 Special Rep Primary
 Audit Date: 10:35:44, Thu Jul 21, 2016

Precinct Number / Name

-----EL30A-----					-----Audit-----		
Office					Candidate		Party
Total	Optical	iVo	Flash	iVo	Delta	Comments	

0002 Bethera							
State House of Rep Dist 100				Sylleste Davis			
20	0	20	0	20	0		
State House of Rep Dist 100				Robbie Metts			
7	0	7	0	7	0		
0003 Bonneau							
State House of Rep Dist 100				Sylleste Davis			
2	0	2	0	2	0		
State House of Rep Dist 100				Robbie Metts			
6	0	6	0	6	0		
0004 Bonneau Beach							
State House of Rep Dist 100				Sylleste Davis			
83	0	83	0	83	0		
State House of Rep Dist 100				Robbie Metts			
43	0	43	0	43	0		
0008 Carnes Cross Rd 1							
State House of Rep Dist 100				Sylleste Davis			
34	0	34	0	34	0		
State House of Rep Dist 100				Robbie Metts			
6	0	6	0	6	0		
0010 Cordesville							
State House of Rep Dist 100				Sylleste Davis			
45	0	45	0	45	0		
State House of Rep Dist 100				Robbie Metts			
16	0	16	0	16	0		
0029 Macedonia							
State House of Rep Dist 100				Sylleste Davis			
78	0	78	0	78	0		
State House of Rep Dist 100				Robbie Metts			
17	0	17	0	17	0		
0030 McBeth							
State House of Rep Dist 100				Sylleste Davis			
8	0	8	0	8	0		
State House of Rep Dist 100				Robbie Metts			
7	0	7	0	7	0		
0031 Moncks Corner 1							
State House of Rep Dist 100				Sylleste Davis			
21	0	21	0	21	0		
State House of Rep Dist 100				Robbie Metts			
11	0	11	0	11	0		
0033 Moncks Corner 3							

State House of Rep Dist 100					Sylleste Davis
39	0	39	0	39	0
State House of Rep Dist 100					Robbie Metts
9	0	9	0	9	0
0034 Moncks Corner 4					
State House of Rep Dist 100					Sylleste Davis
184	0	184	0	184	0
State House of Rep Dist 100					Robbie Metts
67	0	67	0	67	0
0036 Pinopolis					
State House of Rep Dist 100					Sylleste Davis
145	0	145	0	145	0
State House of Rep Dist 100					Robbie Metts
61	0	61	0	61	0
0048 Wassamassaw 1					
State House of Rep Dist 100					Sylleste Davis
2	0	2	0	2	0
State House of Rep Dist 100					Robbie Metts
0	0	0	0	0	* No Audit Data expected or found
0049 Wassamassaw 2					
State House of Rep Dist 100					Sylleste Davis
34	0	34	0	34	0
State House of Rep Dist 100					Robbie Metts
10	0	10	0	10	0
0059 Whitesville 1					
State House of Rep Dist 100					Sylleste Davis
30	0	30	0	30	0
State House of Rep Dist 100					Robbie Metts
11	0	11	0	11	0
0060 Whitesville 2					
State House of Rep Dist 100					Sylleste Davis
23	0	23	0	23	0
State House of Rep Dist 100					Robbie Metts
9	0	9	0	9	0
0065 Cane Bay					
State House of Rep Dist 100					Sylleste Davis
52	0	52	0	52	0
State House of Rep Dist 100					Robbie Metts
11	0	11	0	11	0
0067 Fox Bank					
State House of Rep Dist 100					Sylleste Davis
19	0	19	0	19	0
State House of Rep Dist 100					Robbie Metts
3	0	3	0	3	0
0070 Old 52					
State House of Rep Dist 100					Sylleste Davis
58	0	58	0	58	0
State House of Rep Dist 100					Robbie Metts
21	0	21	0	21	0
0072 Seventy Eight					

State House of Rep	Dist 100				Sylleste Davis
4	0	4	0	4	0
State House of Rep	Dist 100				Robbie Metts
0	0	0	0	* No Audit	Data expected or found
0083 Tramway					
State House of Rep	Dist 100				Sylleste Davis
7	0	7	0	7	0
State House of Rep	Dist 100				Robbie Metts
2	0	2	0	2	0
0084 Weatherstone					
State House of Rep	Dist 100				Sylleste Davis
5	0	5	0	5	0
State House of Rep	Dist 100				Robbie Metts
2	0	2	0	2	0
0750 Absentee					
State House of Rep	Dist 100				Sylleste Davis
114	63	51	0	51	0
State House of Rep	Dist 100				Robbie Metts
51	29	22	0	22	0
0800 Emergency					
State House of Rep	Dist 100				Sylleste Davis
1	1	0	0	* All votes cast for this candidate	

* in this precinct are optical.

* No Audit Data for optical.

State House of Rep	Dist 100				Robbie Metts
0	0	0	0	* No Audit	Data expected or found

0850 Failsafe					
State House of Rep	Dist 100				Sylleste Davis
0	0	0	0	* No Audit	Data expected or found
State House of Rep	Dist 100				Robbie Metts
0	0	0	0	* No Audit	Data expected or found

0900 Provisional					
State House of Rep	Dist 100				Sylleste Davis
0	0	0	0	* No Audit	Data expected or found
State House of Rep	Dist 100				Robbie Metts
1	1	0	0	* All votes cast for this candidate	

* in this precinct are optical.

* No Audit Data for optical.

There was no unmatched audit data

How to read this report.

This is the vote level report. It compares the number of votes cast for each candidate in the tabulation report with the number of ballots cast in the audit data for each candidates in each precinct.

The tabulated values as read from the EL30A report are reported in four categories; Total, Optical (Opt), iVotronic (iVo) and Flash. None of these values on each line are calculated but parsed from the actual report. In the EL30A report all Write-in votes are added together and reported as one candidate name - Write-in. The EL30A does not report individual Write-in candidates.

The Opt totals are the total number of votes cast on paper ballots that were scanned into the optical scanner and transferred to the tabulation computer via memory stick or ZipDisk (depending on the type of device, M100 or M650 used to scan the ballots.) Optical totals should exist only in some but not all of the Virtual Precincts at the bottom of the table.

The iVo totals are the results gathered from the PEBs (Personal Electronic Ballot) which are used to open and close an iVotronic voting machine and, after the polls have closed, gather the ballots cast for transmission to the tabulation system.

The Flash totals are the totals that are read from the flash cards in the rare event that the ballots cannot be copied from the machine to the PEB or from the PEB to the tabulating machine.

The values on the Audit side come from the iVotronic audit data that is read from the flash cards as part of the audit process. That process combines the individual machine data into a master audit file, the EL155 Vote image log.

The EL155 contains a record of all the votes cast on a ballot. The vote images indicate the machine. Counting the number of times a candidate name for a contest appears in a precinct we get the number of votes cast in that precinct for that candidate. That number should always match the number of votes cast for that candidate in that contest in the iVo column on the EL30A side of the report.

Optical ballots do not have electronically readable audit files. So if the audit data iVotronic total votes does not match the EL30A iVo value one of two things will occur. The first is if the iVotronic tabulated is zero and the Total tabulated votes match the tabulated Optical votes the following comment is made in the Audit side of the report; All votes cast for this candidate in this precinct are optical No Audit Data for optical, or secondly, if the iVotronic total is not zero, a notation indicating which data Audit data. In the event a candidate or the combined Write-in candidates did not receive any votes in a precinct the EL30A will report a zero vote count. If there are no votes for this candidate in a precinct in the audit data, the following comment will be placed into the audit report by the auditing software; No Audit Data expected or

found.

Finally the audit software will search the audit data for any votes that were not found on the EL30A report.

If it finds some, it will report those vote totals by contest, candidate name and precinct. if it does not

find any unmatched audit data it will report; There was no unmatched audit data

Berkeley Vote Level Audit Exception Report

Precinct Number / Name

-----EL30A-----				-----Audit-----			
Office				Candidate			Party
Total	Optical	iVo	Flash	iVo	Delta	Comments	
0002	Bethera						
0003	Bonneau						
0004	Bonneau Beach						
0008	Carnes Cross Rd 1						
0010	Cordesville						
0029	Macedonia						
0030	McBeth						
0031	Moncks Corner 1						
0033	Moncks Corner 3						
0034	Moncks Corner 4						
0036	Pinopolis						
0048	Wassamassaw 1						
State House of Rep Dist 100				Robbie Metts			
0	0	0				0 * No Audit Data expected or found	
0049	Wassamassaw 2						
0059	Whitesville 1						
0060	Whitesville 2						
0065	Cane Bay						
0067	Fox Bank						
0070	Old 52						
0072	Seventy Eight						
State House of Rep Dist 100				Robbie Metts			
0	0	0				0 * No Audit Data expected or found	
0083	Tramway						
0084	Weatherstone						
0750	Absentee						
0800	Emergency						
State House of Rep Dist 100				Sylleste Davis			
1	1	0				0 * All votes cast for this candidate	

* in this precinct are optical.

* No Audit Data for optical.

State House of Rep Dist 100				Robbie Metts
0	0	0	0	* No Audit Data expected or found

0850 Failsafe				Sylleste Davis
State House of Rep Dist 100				
0	0	0	0	* No Audit Data expected or found

State House of Rep Dist 100				Robbie Metts
0	0	0	0	* No Audit Data expected or found

0900 Provisional				Sylleste Davis
State House of Rep Dist 100				
0	0	0	0	* No Audit Data expected or found
State House of Rep Dist 100				Robbie Metts
1	1	0	0	* All votes cast for this candidate

* in this precinct are optical.

* No Audit Data for optical.

There was no unmatched audit data

How to read this report.

precinct.

cast for transmission to the tabulation system.

file, the EL155 Vote image log.

found.